

TOBEYHAO

Automotive Fastener Manufacturer

AUTOMOTIVE CABLE TIES & FASTENERS

WHOLESALE PRODUCT CATALOGUE

Engineered fastening solutions for wiring harnesses, panels, pipes and automotive assemblies.



ITEM 001



ALSEC4-01



ALS-MGT001

PRICE BASIS | CNY / 100 PCS | EXW CHINA

September 2026

HUBEI CHUI ZI PLASTIC TECHNOLOGY CO., LTD.

www.tobeyhao.com

WhatsApp / WeChat +86 181 6242 0909

MANUFACTURER PROFILE

HUBEI CHUI ZI PLASTIC TECHNOLOGY CO., LTD. manufactures cable ties and fastening components for automotive wiring, panels and pipe systems. TOBEYHAO supports wholesale supply, OEM programs, private label and customised packaging for international distributors.

Automotive range

Mounting ties, edge clips, pipe clamps and specialised fasteners.

Material options

PA66 and PA6 options are available according to the listed specification.

Wholesale supply

Stable factory production for distributors and project purchasing.

Custom service

OEM, private label, colour and packing options are available on request.

APPLICATIONS

- **Wiring harnesses**
- **Pipes and hoses**
- **Interior trim**
- **Vehicle panels**
- **Chassis routing**
- **Industrial assemblies**

PRODUCT INDEX

01 Fir Tree Mount Clips

Item 001-008 | 8

4**02 Double-Head Cable Ties**

Item 009-018 | 10

6**03 Edge Clip Cable Ties**

Item 019-029 | 11

8**04 Screw Mount Cable Ties**

Item 030-040 | 11

11**05 Chassis Cable Tie Assemblies**

Item 041-048 | 8

14**06 Reverse-Tooth Cable Ties**

Item 049-049 | 1

16**07 Cross Cable Tie Clips**

Item 050-051 | 2

16**08 Handcuff Cable Ties**

Item 053-054 | 2

16**09 Push Rivet Cable Ties**

Item 055-055 | 1

17**10 Arrowhead Mount Cable Ties & Clips**

Item 056-056 | 1

17**11 Motorcycle Cable Clips**

Item 057-057 | 1

17**12 Arrowhead Mount Cable Ties & Clips**

Item 058-067 | 10

18**13 Pipe Clamps & Tube Clips**

Item 068-083 | 15

20

Fir Tree Mount Clips

Item 001



Fir Tree Mount Clip


Item 001

CNY / 100 pcs 11.70

Specification	3.5-4.2 mm
Mounting	Push mount in round hole
Unit weight	0.48 g
Packing	1,000 pcs/bag

Fir Tree Mount Clips

Item 002



Fir Tree Mount Clip

Part No.: ALSFT5-01

CNY / 100 pcs 11.70

Specification	4.5-5.5 mm
Mounting	Push mount in round hole
Bundle diameter	2.5-34 mm
Mounting hole	4.5-5.5 mm
Panel thickness	1-3 mm
Material	PA66
Flammability	94V-2
Operating temperature	-40 to 120°C

Fir Tree Mount Clips

Item 003



Fir Tree Mount Clip


Part No.: ALSFT6-02

CNY / 100 pcs 13.00

Specification	5.9-6.5 mm
Mounting	Push mount in round hole
Unit weight	0.48 g
Packing	500 pcs/bag

Fir Tree Mount Clips

Item 004



Fir Tree Mount Clip

Part No.: ALSFT6L-03

CNY / 100 pcs 14.30

Specification	6-6.6 mm
Mounting	Push mount in round hole
Unit weight	0.59 g
Packing	500 pcs/bag

Fir Tree Mount Clips

Item 005



Fir Tree Mount Clip

Part No.: ALSFT9-05

CNY / 100 pcs 32.50

Specification	9-10.5 mm
Mounting	Push mount in round hole
Unit weight	2 g
Packing	250 pcs/bag

Fir Tree Mount Clips

Item 006



Fir Tree Mount Clip


Part No.: ALSFT9-05

CNY / 100 pcs 32.50

Specification	9-10.5 mm
Mounting	Push mount in round hole
Unit weight	1.63 g
Packing	250 pcs/bag

Fir Tree Mount Clips

Item 007



Fir Tree Mount Clip


Part No.: ALSFT9-05

CNY / 100 pcs 32.50

Specification	9-10.5 mm
Mounting	Push mount in round hole
Unit weight	1.55 g
Packing	250 pcs/bag

Fir Tree Mount Clips

Item 008



Fir Tree Mount Clip

Part No.: ALSFT10-06

CNY / 100 pcs 19.50

Specification	9.7-10 mm
Mounting	Push mount in round hole
Unit weight	0.94 g
Packing	500 pcs/bag

Double-Head Cable Ties

Item 009



Double-Head Cable Tie

Part No.: ALS-ST001

CNY / 100 pcs 7.15

Specification	4.7*200 mm
Mounting	Dual-loop bundling
Loop tensile strength	22 kg
Bundle diameter	18 mm
Material	PA66
Flammability	94V-2
Operating temperature	-40 to 120°C
Unit weight	1.5 g

Double-Head Cable Ties

Item 010



Double-Head Cable Tie

Part No.: ALS-ST002

CNY / 100 pcs 7.80

Specification	4.7*225 mm
Mounting	Dual-loop bundling
Loop tensile strength	20 kg
Bundle diameter	20 mm
Material	PA66
Flammability	94V-2
Operating temperature	-40 to 120°C
Unit weight	1.7 g

Double-Head Cable Ties

Item 011



Double-Head Cable Tie


Part No.: ALS-ST003

CNY / 100 pcs 8.19

Specification	4.7*250 mm
Mounting	Dual-loop bundling
Loop tensile strength	22 kg
Bundle diameter	20 mm
Material	PA66
Flammability	94V-2
Operating temperature	-40 to 120°C
Unit weight	1.86 g

Double-Head Cable Ties

Item 012



Double-Head Cable Tie


Part No.: ALS-ST004

CNY / 100 pcs 9.10

Specification	4.7*300 mm
Mounting	Dual-loop bundling
Loop tensile strength	22 kg
Bundle diameter	35 mm
Material	PA66
Flammability	94V-2
Operating temperature	-40 to 120°C
Unit weight	2.2 g

Double-Head Cable Ties

Item 013



Double-Head Cable Tie


Part No.: ALS-ST005

CNY / 100 pcs 9.75

Specification	4.7*330 mm
Mounting	Dual-loop bundling
Loop tensile strength	22 kg
Bundle diameter	37 mm
Material	PA66
Flammability	94V-2
Operating temperature	-40 to 120°C
Unit weight	2.5 g

Double-Head Cable Ties

Item 014



Double-Head Cable Tie


Part No.: ALS-ST006

CNY / 100 pcs 11.05

Specification	4.7*370 mm
Mounting	Dual-loop bundling
Loop tensile strength	22 kg
Bundle diameter	40 mm
Material	PA66
Flammability	94V-2
Operating temperature	-40 to 120°C
Unit weight	2.7 g

Double-Head Cable Ties

Item 015



Double-Head Cable Tie


Part No.: ALS-ST007

CNY / 100 pcs 11.70

Specification	4.7*400 mm
Mounting	Dual-loop bundling
Loop tensile strength	22 kg
Bundle diameter	50 mm
Material	PA66
Flammability	94V-2
Operating temperature	-40 to 120°C
Unit weight	2.82 g

Double-Head Cable Ties

Item 016



Double-Head Cable Tie


Part No.: ALS-ST008

CNY / 100 pcs 13.65

Specification	7.6*200 mm
Mounting	Dual-loop bundling
Loop tensile strength	50 kg
Bundle diameter	18 mm
Material	PA66
Flammability	94V-2
Operating temperature	-40 to 120°C
Unit weight	3 g

Double-Head Cable Ties

Item 017



Double-Head Cable Tie


Part No.: ALS-ST009

CNY / 100 pcs18.85

Specification	7.6*300 mm
Mounting	Dual-loop bundling
Loop tensile strength	50 kg
Bundle diameter	35 mm
Material	PA66
Flammability	94V-2
Operating temperature	-40 to 120°C
Unit weight	4.3 g

Double-Head Cable Ties

Item 018



Double-Head Cable Tie


Part No.: ALS-ST010

CNY / 100 pcs22.75

Specification	7.6*400 mm
Mounting	Dual-loop bundling
Loop tensile strength	50 kg
Bundle diameter	50 mm
Material	PA66
Flammability	94V-2
Operating temperature	-40 to 120°C
Unit weight	5.5 g

Edge Clip Cable Ties

Item 019



Edge Clip Cable Tie


Part No.: ALSEC4-01

CNY / 100 pcs28.60

Specification	1-3mm
Mounting	Edge clip mounting
Panel thickness	1-3 mm
Material	PA66
Flammability	94V-2
Operating temperature	-40 to 120°C
Unit weight	1.07 g
Packing	500 pcs/bag

Edge Clip Cable Ties

Item 020



Edge Clip Cable Tie


Part No.: ALSEC5-01

CNY / 100 pcs28.60

Specification	1-3mm
Mounting	Edge clip mounting
Panel thickness	1-3 mm
Material	PA66
Flammability	94V-2
Operating temperature	-40 to 120°C
Unit weight	1.05 g
Packing	500 pcs/bag

Edge Clip Cable Ties

Item 021



Edge Clip Cable Tie

Part No.: ALSEC9-01


CNY / 100 pcs

28.60

Specification	1-3mm
Mounting	Edge clip mounting
Panel thickness	1-3 mm
Material	PA66
Flammability	94V-2
Operating temperature	-40 to 120°C
Unit weight	1.23 g
Packing	500 pcs/bag

Edge Clip Cable Ties

Item 022



Edge Clip Cable Tie

Part No.: ALSEC10-01


CNY / 100 pcs

28.60

Specification	1-3mm
Mounting	Edge clip mounting
Panel thickness	1-3 mm
Material	PA66
Flammability	94V-2
Operating temperature	-40 to 120°C
Unit weight	1.23 g
Packing	500 pcs/bag

Edge Clip Cable Ties

Item 023



Edge Clip Cable Tie

Part No.: ALSEC19-01


CNY / 100 pcs

52.00

Specification	3-6mm
Mounting	Edge clip mounting
Panel thickness	3-6 mm
Material	PA66
Flammability	94V-2
Operating temperature	-40 to 120°C
Unit weight	1.47 g
Packing	250 pcs/bag

Edge Clip Cable Ties

Item 024



Edge Clip Cable Tie

Part No.: ALSEC20-01

CNY / 100 pcs

52.00

Specification	3-6mm
Mounting	Edge clip mounting
Panel thickness	3-6 mm
Material	PA66
Flammability	94V-2
Operating temperature	-40 to 120°C
Unit weight	1.47 g
Packing	250 pcs/bag

Edge Clip Cable TiesItem 025




Edge Clip Cable Tie

Item 025

CNY / 100 pcs28.60

Specification	1-3mm
Mounting	Edge clip mounting
Panel thickness	1-3 mm
Unit weight	1.05 g
Packing	500 pcs/bag

Edge Clip Cable TiesItem 026




Edge Clip Cable Tie

Part No.: ALSEC23-01

CNY / 100 pcs52.00

Specification	3-6mm
Mounting	Edge clip mounting
Panel thickness	3-6 mm
Material	PA66
Flammability	94V-2
Operating temperature	-40 to 120°C
Unit weight	1.47 g
Packing	250 pcs/bag

Edge Clip Cable TiesItem 027




Edge Clip Cable Tie

Part No.: ALSEC22-01

CNY / 100 pcs28.60

Specification	1-3mm
Mounting	Edge clip mounting
Panel thickness	1-3 mm
Material	PA66
Flammability	94V-2
Operating temperature	-40 to 120°C
Unit weight	1.23 g
Packing	500 pcs/bag

Edge Clip Cable TiesItem 028



Edge Clip Cable Tie

Part No.: ALSEC24-01

CNY / 100 pcs52.00

Specification	3-6mm
Mounting	Edge clip mounting
Panel thickness	3-6 mm
Material	PA66
Flammability	94V-2
Operating temperature	-40 to 120°C
Unit weight	1.5 g
Packing	250 pcs/bag

Edge Clip Cable Ties

Item 029



Edge Clip Cable Tie


Item 029

CNY / 100 pcs 45.50

Specification	1-3mm 9.8mm
Mounting	Edge clip mounting
Panel thickness	1-3 mm
Unit weight	0.64 g
Packing	500 pcs/bag

Screw Mount Cable Ties

Item 030



Screw Mount Cable Tie


Part No.: ALS-LW012 | OEM / Reference: 126-03501

CNY / 100 pcs 19.50

Specification	4.7 x 204 mm
Mounting	Threaded stud mounting
Loop tensile strength	24 kg
Bundle diameter	1.5-50 mm
Mounting hole	6.5-7.2 mm
Panel thickness	1.3-7 mm
Material	PA66
Flammability	94V-2

Screw Mount Cable Ties

Item 031



Screw Mount Cable Tie


Part No.: ALS-LW007 | OEM / Reference: 157-00128

CNY / 100 pcs 19.50

Specification	4.6 x 160 mm
Mounting	Threaded stud mounting
Loop tensile strength	24 kg
Bundle diameter	2-35 mm
Mounting hole	6.0-7.0 mm
Panel thickness	0.5-6 mm
Material	PA66
Flammability	94V-2

Screw Mount Cable Ties

Item 032



Screw Mount Cable Tie

Part No.: ALS-LW005 | OEM / Reference: 157-00127

CNY / 100 pcs 19.50

Specification	4.6 x 160 mm
Mounting	Threaded stud mounting
Loop tensile strength	18 kg
Bundle diameter	3-35 mm
Mounting hole	6.3-7 mm
Panel thickness	0.5-7 mm
Material	PA66
Flammability	94V-2

Screw Mount Cable Ties

Item 033



Screw Mount Cable Tie


Part No.: ALS-LW011 | OEM / Reference: 157-00185

CNY / 100 pcs 19.50

Specification	4.7 x 165 mm
Mounting	Threaded stud mounting
Loop tensile strength	24 kg
Bundle diameter	2-30 mm
Mounting hole	6.5-7.2 mm
Panel thickness	0.6-6 mm
Material	PA66
Flammability	94V-2

Screw Mount Cable Ties

Item 034



Screw Mount Cable Tie

Part No.: ALS-LW009 | OEM / Reference: PP9111001-150

CNY / 100 pcs 19.50

Specification	5.5 x 150 mm
Mounting	Threaded stud mounting
Loop tensile strength	24 kg
Bundle diameter	2-35 mm
Mounting hole	6.5-7.2 mm
Panel thickness	0.3-8 mm
Material	PA66
Flammability	94V-2

Screw Mount Cable Ties

Item 035



Screw Mount Cable Tie

OEM / Reference: PP9111001-160

CNY / 100 pcs 20.80

Specification	5.5 x 160 mm
Mounting	Threaded stud mounting
Unit weight	1.85 g
Packing	500 pcs/bag

Screw Mount Cable Ties

Item 036



Screw Mount Cable Tie

Part No.: ALS-LW010 | OEM / Reference: PP911001-210

CNY / 100 pcs 22.10

Mounting	Threaded stud mounting
Unit weight	2 g
Packing	500 pcs/bag

Screw Mount Cable Ties

Item 037



Screw Mount Cable Tie


OEM / Reference: XSX02

CNY / 100 pcs 19.50

Specification	4.7 x 160 mm
Mounting	Threaded stud mounting
Unit weight	1.64 g
Packing	500 pcs/bag

Screw Mount Cable Ties

Item 038



Screw Mount Cable Tie


Part No.: ALS-LW001 | OEM / Reference: 150-55550

CNY / 100 pcs 20.80

Specification	5.0 x 170 mm
Mounting	Threaded stud mounting
Loop tensile strength	22 kg
Bundle diameter	2-35 mm
Mounting hole	6.2-7 mm
Panel thickness	0.6-7 mm
Material	PA66
Flammability	94V-2

Screw Mount Cable Ties

Item 039



Screw Mount Cable Tie


Part No.: ALS-LW003 | OEM / Reference: 150-55610

CNY / 100 pcs 11.70

Specification	2.5 x 110 mm
Mounting	Threaded stud mounting
Loop tensile strength	8 kg
Bundle diameter	1-18 mm
Mounting hole	4.8-5.5 mm
Panel thickness	0.5-5 mm
Material	PA66
Flammability	94V-2

Screw Mount Cable Ties

Item 040



Screw Mount Cable Tie


Part No.: ALS-LW002 | OEM / Reference: 157-00072

CNY / 100 pcs 19.50

Specification	4.6 x 160 mm
Mounting	Threaded stud mounting
Loop tensile strength	22 kg
Bundle diameter	1-35 mm
Mounting hole	8-8.8 mm
Panel thickness	0.6-6 mm
Material	PA66
Flammability	94V-2

Chassis Cable Tie Assemblies

Item 041



Chassis Cable Tie Assembly


Item 041

CNY / 100 pcs 36.40

Specification	7.8 x 280 mm
Mounting	Chassis harness fastening
Material	PA66
Packing	25 pcs/bag

Chassis Cable Tie Assemblies

Item 042



Chassis Cable Tie Assembly


Item 042

CNY / 100 pcs 45.50

Specification	7.8 x 380 mm
Mounting	Chassis harness fastening
Material	PA66
Packing	25 pcs/bag

Chassis Cable Tie Assemblies

Item 043



Chassis Cable Tie Assembly


Item 043

CNY / 100 pcs 58.50

Specification	7.8 x 280 mm
Mounting	Chassis harness fastening
Material	PA66
Unit weight	9 g
Packing	25 pcs/bag

Chassis Cable Tie Assemblies

Item 044



Chassis Cable Tie Assembly


Item 044

CNY / 100 pcs 65.00

Specification	7.8 x 380 mm
Mounting	Chassis harness fastening
Material	PA66
Unit weight	10 g
Packing	25 pcs/bag

Chassis Cable Tie Assemblies

Item 045



Chassis Cable Tie Assembly


Item 045

CNY / 100 pcs 32.50

Specification	7.8 x 280 mm
Mounting	Chassis harness fastening
Material	PA6
Packing	25 pcs/bag

Chassis Cable Tie Assemblies

Item 046



Chassis Cable Tie Assembly


Item 046

CNY / 100 pcs 35.10

Specification	7.8 x 380 mm
Mounting	Chassis harness fastening
Material	PA6
Packing	25 pcs/bag

Chassis Cable Tie Assemblies

Item 047



Chassis Cable Tie Assembly


Item 047

CNY / 100 pcs 45.50

Specification	7.8 x 280 mm
Mounting	Chassis harness fastening
Material	PA6
Unit weight	9 g
Packing	25 pcs/bag

Chassis Cable Tie Assemblies

Item 048



Chassis Cable Tie Assembly


Item 048

CNY / 100 pcs 48.10

Specification	7.8 x 380 mm
Mounting	Chassis harness fastening
Material	PA6
Unit weight	10 g
Packing	25 pcs/bag

Reverse-Tooth Cable Ties

Item 049



Reverse-Tooth Cable Tie

Part No.: ALS-FC001

CNY / 100 pcs 10.40

Specification	4.8 x 200 mm
Mounting	Reverse-tooth locking
Unit weight	1.3 g
Packing	250 pcs/bag

Cross Cable Tie Clips

Item 050



Cross Cable Tie Clip

Item 050

CNY / 100 pcs 58.50

Specification	7.6 x 300 mm
Mounting	Cross fastening
Unit weight	9.2 g
Packing	50 pcs/bag

Cross Cable Tie Clips

Item 051



Cross Cable Tie Clip

Item 051

CNY / 100 pcs 45.50

Specification	4.8 x 200 mm
Mounting	Cross fastening
Unit weight	3.11 g
Packing	100 pcs/bag

Handcuff Cable Ties

Item 053



Handcuff Cable Tie

Part No.: ALS-SK001

CNY / 100 pcs 65.00

Specification	12.7 x 330 mm
Mounting	Dual-loop bundling
Unit weight	10.68 g
Packing	25 pcs/bag

Handcuff Cable Ties

Item 054



Handcuff Cable Tie


Part No.: ALS-SK002

CNY / 100 pcs 84.50

Specification	12.7 x 500 mm
Mounting	Dual-loop bundling
Unit weight	13.28 g
Packing	25 pcs/bag

Push Rivet Cable Ties

Item 055



Push Rivet Cable Tie

Part No.: ALS-CXD01

CNY / 100 pcs 5.20

Specification	4.7 x 90 mm
Mounting	Push rivet mounting
Material	PA66
Flammability	94V-2
Operating temperature	-40 to 120°C
Unit weight	1.2 g
Packing	100 pcs/bag

Arrowhead Mount Cable Ties & Clips

Item 056



Arrowhead Mount Cable Tie / Clip

Item 056

CNY / 100 pcs 58.50

Specification	□□
Mounting	Push mount in panel hole
Unit weight	2.88 g
Packing	250 pcs/bag

Motorcycle Cable Clips

Item 057



Motorcycle Cable Clip


Item 057

CNY / 100 pcs 45.50

Specification	□□□□
Mounting	Clip fastening
Unit weight	2.43 g
Packing	100 pcs/bag

Arrowhead Mount Cable Ties & Clips

Item 058



Arrowhead Mount Cable Tie / Clip


Item 058

CNY / 100 pcs 13.00

Specification	3.6*160*1.3 mm
Mounting	Push mount in panel hole
Packing	500 pcs/bag

Arrowhead Mount Cable Ties & Clips

Item 059



Arrowhead Mount Cable Tie / Clip


Item 059

CNY / 100 pcs 11.70

Specification	3.3×130×1.15 mm
Mounting	Push mount in panel hole
Packing	500 pcs/bag

Arrowhead Mount Cable Ties & Clips

Item 060



Arrowhead Mount Cable Tie / Clip


Item 060

CNY / 100 pcs 9.10

Specification	2.5×110×1.1 mm
Mounting	Push mount in panel hole
Packing	500 pcs/bag

Arrowhead Mount Cable Ties & Clips

Item 061



Arrowhead Mount Cable Tie / Clip

Part No.: ALS-MGT002 | OEM / Reference: 126-03102

CNY / 100 pcs 19.50

Specification	4.8*160 mm
Mounting	Push mount in panel hole
Packing	250 pcs/bag

Arrowhead Mount Cable Ties & Clips

Item 062



Arrowhead Mount Cable Tie / Clip


Item 062

CNY / 100 pcs15.60

Specification	22.06×17.5×13.1 mm
Mounting	Push mount in panel hole
Packing	500 pcs/bag

Arrowhead Mount Cable Ties & Clips

Item 063



Arrowhead Mount Cable Tie / Clip


Item 063

CNY / 100 pcs15.60

Specification	14.9×9.7×11.8 mm
Mounting	Push mount in panel hole
Packing	500 pcs/bag

Arrowhead Mount Cable Ties & Clips

Item 064



Arrowhead Mount Cable Tie / Clip

Part No.: ALS-MGT003 | OEM / Reference: 126-00288

CNY / 100 pcs22.10

Specification	5.5*160 mm
Mounting	Push mount in panel hole
Loop tensile strength	24 kg
Bundle diameter	2-35 mm
Mounting hole	7 x 12 mm
Panel thickness	0.3-3.2 mm
Material	PA66
Flammability	94V-2

Arrowhead Mount Cable Ties & Clips

Item 065



Arrowhead Mount Cable Tie / Clip

Part No.: ALS-MGT001 | OEM / Reference: PP1002302

CNY / 100 pcs20.80

Specification	5.5*170 mm
Mounting	Push mount in panel hole
Unit weight	2 g
Packing	250 pcs/bag

Arrowhead Mount Cable Ties & Clips

Item 066



Arrowhead Mount Cable Tie / Clip


Part No.: ALS-FJT001 | OEM / Reference: 126-00171

CNY / 100 pcs 13.00

Specification	4.7*143 mm
Mounting	Push mount in panel hole
Unit weight	1.25 g
Packing	250 pcs/bag

Arrowhead Mount Cable Ties & Clips

Item 067



Arrowhead Mount Cable Tie / Clip


Part No.: ALS-FJT002 | OEM / Reference: 126-00123

CNY / 100 pcs 19.50

Specification	4.7*205 mm
Mounting	Push mount in panel hole
Loop tensile strength	24 kg
Bundle diameter	3-45 mm
Mounting hole	6.0-7.0 mm
Panel thickness	0.3-3 mm
Material	PA66
Flammability	94V-2

Pipe Clamps & Tube Clips

Item 068



Pipe Clamp / Tube Clip


Item 068

CNY / 100 pcs 19.50

Specification	18.82X20.01X10 mm
Mounting	Pipe / tube fastening
Unit weight	1.31 g
Packing	500 pcs/bag

Pipe Clamps & Tube Clips

Item 069



Pipe Clamp / Tube Clip



Item 069

CNY / 100 pcs 14.30

Specification	21.38X20.5X9.9 mm
Mounting	Pipe / tube fastening
Packing	500 pcs/bag

Pipe Clamps & Tube Clips

Item 070



Pipe Clamp / Tube Clip



Part No.: ALS-GK001 | OEM / Reference: 156-01349

CNY / 100 pcs 32.50

Specification	4.7 x 155 mm
Mounting	Pipe / tube fastening
Bundle diameter	2-35 mm
Pipe range	3.8-4.2 mm
Material	PA66
Flammability	94V-2
Operating temperature	-40 to 120°C
Packing	100 pcs/bag

Pipe Clamps & Tube Clips

Item 071



Pipe Clamp / Tube Clip


Part No.: ALS-GK002 | OEM / Reference: 156-00772

CNY / 100 pcs 41.60

Specification	4.7 x 155 mm
Mounting	Pipe / tube fastening
Bundle diameter	2-35 mm
Pipe range	4.5-5.2 mm
Material	PA66
Flammability	94V-2
Operating temperature	-40 to 120°C
Packing	100 pcs/bag

Pipe Clamps & Tube Clips

Item 072



Pipe Clamp / Tube Clip


Part No.: ALS-GK003 | OEM / Reference: 156-01158

CNY / 100 pcs 32.50

Specification	4.7 x 155 mm
Mounting	Pipe / tube fastening
Bundle diameter	2-35 mm
Pipe range	6.5-8 mm
Material	PA66
Flammability	94V-2
Operating temperature	-40 to 120°C
Unit weight	0.9 g

Pipe Clamps & Tube Clips

Item 073



Pipe Clamp / Tube Clip

Part No.: ALS-GK004 | OEM / Reference: 156-01236

CNY / 100 pcs 52.00


Specification	4.7 x 155 mm
Mounting	Pipe / tube fastening
Bundle diameter	2-35 mm
Pipe range	9-11 mm
Material	PA66
Flammability	94V-2
Operating temperature	-40 to 120°C
Unit weight	0.99 g

Pipe Clamps & Tube Clips

Item 074



L:155 W:4.7 H:1.35



Pipe Clamp / Tube Clip


Part No.: ALS-GK005 | OEM / Reference: 156-01237

CNY / 100 pcs 52.00

Specification	4.7 x 155 mm
Mounting	Pipe / tube fastening
Bundle diameter	2-35 mm
Pipe range	9-11 mm
Material	PA66
Flammability	94V-2
Operating temperature	-40 to 120°C
Unit weight	0.99 g

Pipe Clamps & Tube Clips

Item 075



Pipe Clamp / Tube Clip


Item 075

CNY / 100 pcs 36.40

Specification	46309 mm
Mounting	Pipe / tube fastening
Packing	100 pcs/bag

Pipe Clamps & Tube Clips

Item 076



Pipe Clamp / Tube Clip


Item 076

CNY / 100 pcs 36.40

Specification	10-14 mm
Mounting	Pipe / tube fastening
Packing	100 pcs/bag

Pipe Clamps & Tube Clips

Item 077



Pipe Clamp / Tube Clip

Item 077

CNY / 100 pcs 36.40

Specification	10-14 mm
Mounting	Pipe / tube fastening
Unit weight	1.31 g
Packing	100 pcs/bag

Pipe Clamps & Tube Clips

Item 078



Pipe Clamp / Tube Clip


Part No.: ALS-GK001 | OEM / Reference: 156-01349

CNY / 100 pcs 32.50

Mounting	Pipe / tube fastening
Unit weight	0.23 g
Packing	100 pcs/bag

Pipe Clamps & Tube Clips

Item 080



Pipe Clamp / Tube Clip



Part No.: ALS-GK007 | OEM / Reference: 156-01032

CNY / 100 pcs 58.50

Specification	10-14 mm
Mounting	Pipe / tube fastening
Bundle diameter	2-35 mm
Pipe range	10-14 mm
Material	PA66
Flammability	94V-2
Operating temperature	-40 to 120°C
Unit weight	1.81 g

Pipe Clamps & Tube Clips

Item 081



Pipe Clamp / Tube Clip


Part No.: ALS-GK008 | OEM / Reference: 156-00777

CNY / 100 pcs 62.40

Specification	15-18 mm
Mounting	Pipe / tube fastening
Bundle diameter	2-35 mm
Pipe range	15-18 mm
Material	PA66
Flammability	94V-2
Operating temperature	-40 to 120°C
Unit weight	2.01 g

Pipe Clamps & Tube Clips

Item 082



Pipe Clamp / Tube Clip


Part No.: ALS-GK009 | OEM / Reference: 156-00696

CNY / 100 pcs 93.60

Specification	19-24.5 mm
Mounting	Pipe / tube fastening
Bundle diameter	2-35 mm
Pipe range	19-24.5 mm
Material	PA66
Flammability	94V-2
Operating temperature	-40 to 120°C
Unit weight	4.25 g

Pipe Clamps & Tube Clips

Item 083



Pipe Clamp / Tube Clip

Part No.: ALS-GK010 | OEM / Reference: 156-00798

CNY / 100 pcs104.00

Specification	25-31 mm
Mounting	Pipe / tube fastening
Bundle diameter	2-35 mm
Pipe range	25-31 mm
Material	PA66
Flammability	94V-2
Operating temperature	-40 to 120°C
Unit weight	4.26 g

ORDER INFORMATION

- 1 Prices are shown in CNY per 100 pieces under EXW China terms.
- 2 Final quotation depends on order quantity, material, colour, packaging and confirmed specification.
- 3 Please quote the item number, part number or OEM reference when requesting samples or prices.
- 4 OEM, private label and customised packaging are available on request.
- 5 Technical dimensions and tolerances are subject to the confirmed drawing and approved sample.

TOBEYHAO

HUBEI CHUI ZI PLASTIC TECHNOLOGY CO., LTD.

Contact us for samples, model selection and a formal quotation.

WhatsApp / WeChat +86 181 6242 0909

www.tobeyhao.com